



# Safety Data Sheet

Issue Date: 14-Jun-2013

Revision Date: 11-Feb-2015

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Excalibur! Premium Greaseaway!

### Other means of identification

**SDS #** EMS-003

**Product Code** Product Numbers: EMS-5242, EMS-5244, EMS-5246, EMS-5248

### Recommended use of the chemical and restrictions on use

**Recommended Use** Detergent.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

EMS Detergent Services  
390 Herky Street, Suite 4W  
North Liberty, IA 52317

### Emergency Telephone Number

**Company Phone Number** (319) 665-2216

**Emergency Telephone (24 hr)** Chemtrec 1-800-424-9300 (North America) 1-703-527-3887 (International)

## 2. HAZARDS IDENTIFICATION

**Appearance** Red liquid

**Physical State** Liquid

**Odor** Mild

### Classification

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 2

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

**Warning**

### Hazard Statements

Causes skin irritation

Causes serious eye irritation



**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a poison center or doctor/physician  
IF ON SKIN: Wash with plenty of water  
Take off contaminated clothing and wash it before reuse  
Immediately call a poison center or doctor/physician

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
2-Butoxyethanol	111-76-2	<10
Sodium Tripolyphosphate	7758-29-4	<5
Potassium hydroxide	1310-58-3	<5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST-AID MEASURES****First Aid Measures**

<b>Eye Contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediately call a poison center or doctor/physician. Do not apply any medicated agents except on the advice from a physician.
<b>Skin Contact</b>	Immediately remove contaminated clothing and flush affected areas with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse, discard footwear, which cannot be decontaminated. Get medical attention immediately. Do not apply any medicated agents except on the advice from a physician.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. If breathing is irregular or stopped, administer artificial respiration. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Call a physician or poison control center immediately.
<b>Ingestion</b>	Wash mouth out with water provided the person is fully conscious. WARNING: never give anything by mouth to an unconscious person. Move victim to fresh air. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, lean the victim forward and keep head below hips to prevent breathing in vomitus and aspiration of liquid into the lungs. Keep airway clear and give more water. Seek medical attention immediately. If victim is not breathing and convulsing take to hospital immediately.

**Most important symptoms and effects**

<b>Symptoms</b>	Causes skin irritation. Symptoms of skin contact may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction. Causes serious eye irritation. May cause blurred vision, redness, watering and burning of the eyes. May cause gastrointestinal irritation. Ingestion may cause sore throat, abdominal pain, nausea, and severe burns of the mouth, throat, and stomach. Severe exposures can lead to shock, circulatory collapse, and death.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray may be used to keep fire exposed containers cool.

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Not determined.

### Protective equipment and precautions for firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Evacuate non-essential personnel from area to prevent human exposure to fire, smoke, fumes or products of combustion.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### **Environmental Precautions**

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

### Methods and material for containment and cleaning up

#### **Methods for Containment**

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

#### **Methods for Clean-Up**

Clean up with absorbent, non-combustible material. Flush spill area with water, avoiding sewers, water courses, basements or confined areas. Ventilate closed spaces before entering. Do NOT reuse any product that has been spilled, as it could be contaminated or lessen the effectiveness of the product for its intended uses. Do not reuse container after spill.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Do not breathe vapors or spray mist. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat or drink while handling this material. Use non-sparking tools.

### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away from heat, sparks, flame. Do not handle or store near any sources of ignition. Keep in properly labeled containers. Keep out of the reach of children. Keep separate from food items.

#### **Incompatible Materials**

Acids. Oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Sodium Tripolyphosphate 7758-29-4	15 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	-
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

### Appropriate engineering controls

#### Engineering Controls

Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

### Individual protection measures, such as personal protective equipment

#### Eye/Face Protection

Avoid contact with eyes.

#### Skin and Body Protection

Wear suitable protective clothing.

#### Respiratory Protection

Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2).

#### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash at the end of each work shift and before eating, smoking or using the toilet. Promptly remove clothing that becomes contaminated. Discard contaminated leather articles. Launder or discard contaminated clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State	Liquid	Odor	Mild
Appearance	Red liquid	Odor Threshold	Not determined
Color	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	> 100 °C / >212 °F	
Flash Point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid-not applicable	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.06	(Water = 1)
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	

<b>Kinematic Viscosity</b>	Not determined
<b>Dynamic Viscosity</b>	Not determined
<b>Explosive Properties</b>	Not determined
<b>Oxidizing Properties</b>	Not determined

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

### Conditions to Avoid

See Sec. 7 Handling & Storage.

### Incompatible Materials

Acids. Oxidizing agents.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	Causes skin irritation.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	May be harmful if swallowed.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h
Oleic Acid 112-80-1	= 25 g/kg ( Rat )	-	-
Sodium Tripolyphosphate 7758-29-4	= 3100 mg/kg ( Rat )	> 7940 mg/kg ( Rabbit )	-
Potassium hydroxide 1310-58-3	= 214 mg/kg ( Rat )	-	-
Sodium xylenesulfonate 1300-72-7	= 1000 mg/kg ( Rat )	-	-

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity**

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		

**Legend***ACGIH (American Conference of Governmental Industrial Hygienists)**A3 - Animal Carcinogen**IARC (International Agency for Research on Cancer)**Group 3 IARC components are "not classifiable as human carcinogens"***Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 2950: 96 h <i>Lepomis macrochirus</i> mg/L LC50		1698 - 1940: 24 h <i>Daphnia magna</i> mg/L EC50 1000: 48 h <i>Daphnia magna</i> mg/L EC50
Oleic Acid 112-80-1		205: 96 h <i>Pimephales promelas</i> mg/L LC50 static		
Sodium Tripolyphosphate 7758-29-4		1650: 48 h <i>Leuciscus idus</i> mg/L LC50		
Potassium hydroxide 1310-58-3		80: 96 h <i>Gambusia affinis</i> mg/L LC50 static		

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
2-Butoxyethanol 111-76-2	0.81
Potassium hydroxide 1310-58-3	0.83

**Other Adverse Effects**

Not determined

### 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

##### **Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations. EMS Detergent Services Representatives pick up empty containers upon arrival if requested or seen during service. If not; dispose of in a permitted waste management facility following all local, state and federal regulations.

##### **Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Since emptied containers retain product residues, all hazard precautions given in the data sheet must be observed before disposal of empty containers can occur.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive

### 14. TRANSPORT INFORMATION

#### Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

#### DOT

Not regulated

#### IATA

Not regulated

#### IMDG

Not regulated

### 15. REGULATORY INFORMATION

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
2-Butoxyethanol	Present	X		Present		Present	X	Present	X	X
Sodium Tripolyphosphate	Present	X		Present		Present	X	Present	X	X
Potassium hydroxide	Present	X		Present		Present	X	Present	X	X

#### **Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	<10	1.0

**CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X
Oleic Acid 112-80-1			X
Sodium Tripolyphosphate 7758-29-4		X	X
Potassium hydroxide 1310-58-3	X	X	X



**16. OTHER INFORMATION****NFPA****Health Hazards****Flammability****Instability****Special Hazards**

2

2

1

None

**HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

Not determined

Not determined

Not determined

Not determined

**Issue Date:** 14-Jun-2013  
**Revision Date:** 11-Feb-2015  
**Revision Note:** New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**